

REFERENCES

- Anderson, J.M., R.W. Duck, and J, McManus. 1995. Thermal radiometry: A rapid means of determining surface water temperature variations in lakes and reservoirs. *J Hydrology*: 173:131-144.
- ¹Ballantine, M.R., A.J. Miller, J.A. Smith, M.L. Baeck. 2004. Use of 2D hydraulic models to predict stage-discharge relationships in urban channels. *EOS Trans. AGU* 85(47), Abstract H11F-0373.
- Baltimore City DPW. 1995. City of Baltimore NPDES Storm Water Permit Program 1995 Annual Report. Baltimore City Department of Public Works Water Quality Management Office.
- Baltimore City DPW. 2001. Reservoir water quality assessment for Loch Raven, Prettyboy and Liberty reservoirs. Baltimore, Baltimore City Department of Public Works Water Quality Management Office
- Baltimore City DPW. 1999. City of Baltimore NPDES Storm Water Permit Program 1999 Annual Report. Baltimore, Baltimore, Baltimore City Department of Public Works Water Quality Management Office.
- Baltimore City DPW. 2003. City of Baltimore NPDES Storm Water Permit Program 2002 Annual Report.. Baltimore City Department of Public Works Water Quality Management Office.
- Baltimore County DEPRM. 2000. Gunpowder study monitoring report, Baltimore County Dept. of Environmental Protection and Resource Management.
- Baeck, M. L. and J. A. Smith. 1998. Estimation of heavy rainfall by the WSR-88D, *Weather Forecasting*, 13, 416-436.
- Barringer TH, Reiser RG, and Price, C. V. 1994. Potential effects of development on flow characteristics of two New Jersey streams. *Water Resour. Bull.* 30:283–95
- Brown, E., D. Caraco and Pitt, R. 2004. Illicit Discharge Detection and Elimination - A Guidance Manual for Program Development and Technical Assessments. Center for Watershed Protection, Ellicott City, Maryland, 195 pp.
- Chumble, P., J. Zhao, R. Pouyat, K. Belt and U. Ghosh (presenter). Use of Caffeine to Identify and Quantify Wastewater Contamination in Urban Streams. Baltimore Ecosystem Study, Sixth Annual Meeting, Baltimore MD, Oct 21-22, 2004. Abstract available at http://beslter.org/frame7-page_10e.html
- Cook, P.G. and A.L. Herczeg, 1999. Environmental Tracers in Subsurface Hydrology. Kluwer Academic Publishers, Norwell, MA.
- Doheny, E. J. 1999. Index of Hydrologic Characteristics and Data Resources for the Gwynns Falls Watershed, Baltimore County and Baltimore City, Maryland. USGS Open File Report 99-213, 17 pp.

Drexler, J. Z., R. L. Snyder, D. Spano, and K. T. P. U. 2004. A review of models and micrometeorological methods used to estimate wetland evapotranspiration. *Hydrological Processes* 18:2071-2101.

Ferguson, B.K., Suckling, P.W., 1990. Changing rainfall–runoff relationships in the urbanizing peachtree creek watershed, Atlanta, Georgia. *Water Resour. Bull.* 26 (2), 313–322.

Fulton, R., J. Breidenbach, D.-J. Seo, D. Miller, T. O'Bannon, 1998: The WSR-88D rainfall algorithm. *Weather and Forecasting*, 13, 377-395.

Geyer, J. C. and J. J. Lentz 1966. An Evaluation of the problems of sanitary sewer system design. *J. Water Poll. Control Fed.* 38(7).

Greene, E.A., A.M. Shapiro, and A. E. LaMotte. 2004. Hydrogeologic controls on groundwater discharge to the Washington METRO subway tunnel near the medical center station and crossover, Montgomery County, MD. USGS Water Resources Investigations Report 03-4294

Grimmond, C.S.B., T.R. Oke, DG Steyn 1986. Urban Water Balance: 1. A Model for daily totals. *Water Resources Research*, 22(10), 1397 – 1403

Grimmond, C.S.B. and T.R. Oke. 1986. Urban Water Balance: 2. Results from a suburb of Vancouver, British Columbia. *Water Resources Research*, 22(10), 1404 – 1412

Groffman, P.M., N.J. Boulware, W.C. Zipperer, R.V. Pouyat, L.E. Band, M.F. Colosimo. 2002. Soil nitrogen cycling processes in urban riparian zones. *Environmental Science & Technology* 36:4547-4552.

Groffman, P.M., D.J. Bain, L.E. Band, K. T. Belt, G.S. Brush, J.M. Grove, R. V. Pouyat, I.C. Yesilonis and W. C. Zipperer. 2003. Down by the riverside: Urban riparian ecology. *Frontiers in Ecology and Environment* 6:315-321.

Groffman, P.M., N.L. Law, K.T. Belt, L.E. Band and G.T. Fisher. 2004. Nitrogen fluxes and retention in urban watershed ecosystems. *Ecosystems* 7:393-403.

Groffman, P.M., A.M. Dorsey and P.M. Mayer. 2005. Nitrogen processing within geomorphic features in urban streams. *Journal of the North American Benthological Society* 24:613-625.

Harvey, J. W., and B. J. Wagner. 2000. Quantifying hydrologic interactions between streams and their subsurface hyporheic zones, in *Streams and Ground Waters*, edited by J. B. Jones and P. J. Mulholland, pp. 3 – 44, Academic, San Diego, Calif.

Healy, R.W. and P.G. Cook. 2002. Using groundwater levels to estimate recharge, *Hydrogeology Journal*, 10: 91 – 109.

Higgins, J.A., Belt, K.T., Karns, JS, Russell-Anelli, J, and D.R. Shelton,. 2005. tir- and stx- positive *Escherichia coli* in stream waters in a metropolitan area. *Journal of Applied and Environmental Microbiology* 71(5): 2511-2519.

- Hirsch RM, Walker JF, Day JC, Kallio R. 1990. The influence of man on hydrologic systems. In *Surface Water Hydrology (The Geology of America, Vol. O-1)*, ed. MGWolman, HC Riggs, pp. 329–59. Boulder, CO: Geol. Soc. Am
- Horn, M.A. 2000. Method for estimating water use and interbasin transfers of freshwater and wastewater in an urbanized basin: U.S. Geological Survey Water-Resources Investigations Report 99-4287, 34 p.
- Kaushal, S.S., P. M. Groffman, G.E. Likens, K. T. Belt, W.P. Stack, V. R. Kelly, L. E. Band, and G.T. Fisher. 2005. Increased salinization of fresh water in the northeastern U.S., *Proceedings of the National Academy of Sciences*, 102(38), 13517-13520.
- Kilpatrick, F.A., and E.D. Cobb. 1985. Measurement of Discharge using Tracers. *Tech. Water-Resources Inv.*, Bk. 3, Chap. A16. United States Government Printing Office.
- Klein, RD. 1979. Urbanization and stream quality impairment. *Water Resour. Bull.* 15:948–63
- Krothe JN, Garcia-Fresca B & Sharp JM Jr (2002): Effects of urbanization on groundwater systems. *Proceedings of the XXXII IAH Congress, Mar del Plata, Argentina, October 2002*
- Lazaro, T. 1990. *Urban Hydrology – revised edition*. Technomic publishing company Inc., Lancaster, PA
- Leij, FJ, WJ ALves MT van Genuchten, and JR Williams, 1996,. Unsaturated zone hydraulic database. UNSODA 1.0 Users Manual, report EAP/600/R-96/095, USEPA, Adam OK 103 pp. □
- Lentz, J. J. 1963. Special Report No. 4 of the Residential Sewage Research Project to the Federal Housing Administration. Baltimore, MD, Johns Hopkins University, Department of Sanitary Engineering.
- Leopold LB. 1968. *Hydrology for Urban Land Planning—A Guidebook on the Hydrologic Effects of Urban Land Use. USGS Circular 554*
- Lerner DN 1986. Leaking pipes recharge groundwater. *Ground Water* 24:654-662
- Lerner DN. 2002. Identifying and quantifying urban recharge: a review. *Hydrogeology Journal* 10: 143-152.
- Maidment, D.R. 2002. *Arc Hydro GIS for Water Resources*, ESRI Press, Redlands, CA,.
- Maidment, D.R., ed. 1996. *Handbook of Hydrology*, McGraw Hill,.
- Maidment, D.R. 2005. Hydrologic Information System Status Report, unpublished report: Consortium of Universities for the Advancement of Hydrologic Sciences, <http://www.cuahsi.org>, September 15, 2005.

Martin, S. R. (1986). Summary of Findings and Recommendations, Jones Falls Watershed Urban Stormwater Runoff Project. Baltimore, MD, Regional Planning Council.

McBride, M., 2001, Spatial effects of urbanization on physical conditions in Puget Sound Lowland streams, unpublished M.S. thesis, 108 pp.

¹Meierdiercks, K.J., Smith, J.A., Miller, A.J. and Baeck, M.L. 2004. The urban drainage network and its control on extreme floods. Trans. AGU 85(47), Abstract H11F-0370.

Meyer, S.C., 2002. Investigation of impacts of urbanization on base flow and recharge rates, northeastern Illinois: summary of Year 2 activities. Proceedings of the Annual Illinois Groundwater Consortium Conference. Available online only, <http://www.siu.edu/orda/igc/proceedings/02/contents.html>

Mitchell, VG, RG Mein, and TA McMahon 2001. Modelling the urban water cycle, Environmental Modeling and Software. 16:615- 629.

Mitchell, VG, C. Diaper, 2005. Simulating the urban water and contaminant cycle. Environmental Modeling and Software, in press.

¹Nelson, P. A. , J. A. Smith and A. J. Miller. 2005. Evolution of channel morphology and hydrologic response in an urbanizing drainage basin, Earth Surface Processes and Landforms, in press.

Olsen, LD. 2003. Thermal Infrared Imaging, pp. 3-4, in Selected applications of hydrologic science and research in Maryland, Delaware, and Washington, DC 2001-2003. USGS Fact Sheet FS-126-03, 8 pp.

Paul, M.J. and J.L.Meyer, 2001, Streams in the urban landscape. Annual Review of Ecology and Systematics 32:333-365.

Paulachok, G.N. and C. R. Wood. 1984. Water table map of Philadelphia, Pennsylvania, 1976 – 1980. US Geological Survey, Hydrological Investigations Atlas, HA-676.

Pitt, R., M. Lalor, Lalor, M., Field, R., Adrian, D. D. Barbe, D. 1993. Investigation of inappropriate pollutant entries into storm drainage systems: a user's guide. Washington, D.C., USEPA Office of Research and Development. Risk Reduction Engineering Laboratory, USEPA. Cincinnati, OH. EPA/600-R-92-238.

Portnoy, JW, BL Nowicki, CT Roman, and DW Urish. 1998. The discharge of nitrate-contaminated groundwater from developed shoreline to marsh-fringe estuary. Water Resources Research, 34(11), 3095-3104.

Rantz, S. E., et al. 1982. Measurement and computation of streamflow: volume 2. Computation and discharge: U.S. Geol. Survey Water Supply Paper 2175.

Rose, S. and N.E. Peters. 2001. Effects of urbanization on streamflow in the Atlanta area (Georgia, USA): A comparative hydrological approach. Hydrological Processes, 18 1441-1457.

Sharp, J.M., Jr., J.N. Krothe, J.D. Mather, B. Garcia-Fresca, and C.A. Stewart, 2003. Effects of Urbanization on Groundwater Systems. In Heiken, G., R. Fakundiny, J, Sutter, eds., *Earth Science in the City: A Reader*. American Geophysical Union, Washington, DC.

Simmons, D.L., Reynolds, R.J., 1982. Effects of urbanization on base flow of selected south-shore streams, Long Island New York. *Water Resour. Bull.* 18, 797–805.

Smakhtin, V.U.. 2000. Low flow hydrology: a review, *Journal of Hydrology*, 240, 147-186.

Smith, J. A., M. L. Baeck, M. Steiner, and A. J. Miller, 1996, Catastrophic rainfall from an upslope thunderstorm in the Central Appalachians: the Rapidan Storm of June 27, 1995, *Water Resources Research*, 32(10): 3099 – 3113.

¹Smith, J. A., M. L. Baeck, K. L. Meierdiercks, P. A. Nelson, A. J. Miller, and E. J. Holland, 2005, Field studies of the storm event hydrologic response in an urbanizing watershed, *Water Resources Research*, in press.

Torgersen, C.E., R.N. Faux, B.A. McIntosh, N.J. Poage, and D. J. Norton. 2001. Airborne thermal remote sensing for water temperature assessment in rivers and streams. *Remote Sensing of the Environment*: 76, 386-398.

Tripathy, D.. 2005. Positive and negative impacts of urbanization on base flow: a case study from Indiana, *Geological Society of America Abstracts with Programs*, Vol. 37, No. 7, p. 510

Trowsdale, S. A. and D. N. Lerner .2003. Implications of flow patterns in the sandstone aquifer beneath the mature conurbation of Nottingham (UK) for source protection. *Quarterly Journal of Engineering Geology and Hydrogeology* 36: 197-206.

Turner-Gillespie, D. F., J. A. Smith and P. D. Bates. 2003. Attenuating reaches and the regional flood response of an urban drainage basin, *Advances in Water Resources*: 26, 673-684.

U.S. EPA. 1983. Results of the Nationwide Urban Runoff Program, Final report. NTIS PB84-185552.

Wolman, M.G. 2004. Chair, Advisory Committee on the Management and Protection of the Water Resources of the State of Maryland, Final Report, May 28, 2004.